Volume 144 1984

Table of Contents

No. 1 1–198 issued on October 1, 1984
No. 2 199–408 issued on October 15, 1984
No. 3 409–656 issued on November 2, 1984

Corrections 655

Nucleic acids, protein synthesis, and molecular genetics

Primary structure of β subunit precursor of calf muscle acetylcholine receptor deduced from cDNA sequence
T. Tanabe, M. Noda, Y. Furutani, T. Takai, H. Takahashi, K. Tanaka, T. Hirose, S. Inayama, and S. Numa 11–17

Escherichia coli 5S RNA A and B conformers. Characterisation by enzymatic and chemical methods
H. U. Göringer, C. Szymkowiak, and R. Wagner 25–34

Cell-free synthesis of ornithine decarboxylase. Changes in mRNA activity in the liver of thioacetamide-treated rats
T. Kameji, K. Fujita, T. Noguchi, M. Takiguchi, M. Mori, M. Tatibana, and S. Hayashi 35–39

Nucleotide sequence of the gene for the immunity protein to colicin A. Analysis of codon usage of immunity proteins as compared to colicins
R. P. Lloubes, M. J. Chartier, A. M. Journet, S. G. Varenne, and C. J. Lazdunski 73–78

Carotenoid-deficient maize seedlings fail to accumulate light-harvesting chlorophyll *a/b* binding protein (LHCP) mRNA
S. P. Mayfield and W. C. Taylor 79–84

Molecular basis of the '*box* effect'. A maturase deficiency leading to the absence of splicing of two introns located in two split genes of yeast mitochondrial DNA
M. Labouesse, P. Netter, and R. Schroeder 85–93

Molecular cloning of hepatic 5-aminolevulinate synthase
I. A. Borthwick, G. Srivastava, A. A. Hobbs, B. A. Pirola, J. D. Brooker, B. K. May, and W. H. Elliott 95–99

Uncoupled synthesis of $H1^{o}$-like histone $H1^{s}$ during late erythropoiesis in *Xenopus laevis*
R. G. Rutledge, J. M. Neelin, and V. L. Seligy 191–198

Macromolecular syntheses in the cell cycle mutant *cdc25* of budding yeast
E. Martegani, M. Vanoni, and M. Baroni 205–210

Encephalomyocarditis virus replication complexes preferentially utilizing nucleoside diphosphates as substrates for viral RNA synthesis. Nucleotide kinases specifically associated with the complex channel RNA precursors
E. V. Koonin and V. I. Agol 249–254

Yeast mitochondria contain a linear RNA strand complementary to the circular intronic bI1 RNA of cytochrome *b*
A. Halbreich, C. Grandchamp, and M. Foucher 261–269

Histidine residues in elongation factor EF-Tu from *Escherichia coli* protected by aminoacyl-tRNA against photo-oxidation
J. Jonák, T. E. Petersen, B. Meloun, and I. Rychlík 295–303

Neuronal nuclei and glial nuclei from mammalian cerebral cortex. Nucleosome repeat lengths, DNA contents and H1 contents
E. C. Pearson, D. L. Bates, T. D. Prospero, and J. O. Thomas 353–360

Nucleotide sequence of the respiratory D-lactate dehydrogenase gene of *Escherichia coli*
H. D. Campbell, B. L. Rogers, and I. G. Young 367–373

Stepwise dissociation of yeast 60S ribosomal subunits by LiCl and identification of L25 as a primary 26S rRNA binding protein
T. T. A. L. El-Baradi, H. A. Raué, V. C. H. F. De Regt, and R. J. Planta 393–400

Purification and characterization of a microsomal cytochrome P-450 with high activity of coumarin 7-hydroxylase from mouse liver
P. Kaipainen, D. W. Nebert, and M. A. Lang 425–431

Biosynthesis of enzymes of rat-liver mitochondrial β-oxidation
H. Ozasa, S. Furuta, S. Miyazawa, T. Osumi, T. Hashimoto, M. Mori, S. Miura, and M. Tatibana 453–458

The accuracy of Qβ RNA translation. 1. Errors during the synthesis of Qβ proteins by intact *Escherichia coli* cells
K. Khazaie, J. H. Buchanan, and R. F. Rosenberger 485–489

The accuracy of Qβ RNA translation. 2. Errors during the synthesis of Qβ proteins by cell-free *Escherichia coli* extracts
K. Khazaie, J. H. Buchanan, and R. F. Rosenberger 491–495

Glucocorticoid-dependent uteroglobin synthesis and uteroglobulin mRNA levels in rabbit lung explants cultured *in vitro*
D. Fernández-Renau, M. Lombardero, and A. Nieto 523–527

SV40-α-globulin hybrid minichromosomes. Differences in DNase I hypersensitivity of promoter and enhancer sequences
S. Cereghini, S. Saragosti, M. Yaniv, and D. H. Hamer 545–553

Analysis of the different molecular forms of penicillin-binding protein 1B in *Escherichia coli ponB* mutants lysogenized with specialized transducing λ(*ponB*$^+$) bacteriophages
F. Rojo, J. A. Ayala, M. A. De Pedro, and D. Vázquez 571–576

The effect of haemin on RNA synthesis and stability in differentiating rabbit erythroblasts
S. A. Bonanou-Tzedaki, M. K. Sohi, and H. R. V. Arnstein 589–596

Phosphorylation of ribosomal protein S6 in the aquatic fungus *Blastocladiella emersonii*
M. C. M. Bonato, A. M. Da Silva, J. C. Maia, and M. H. Juliani 597–606

Ribosomal protein synthesis by a mutant of *Escherichia coli*
P. D. Butler and D. G. Wild 649–654

Protein chemistry and structure

Assignment of the disulphide bonds in the sweet-tasting protein thaumatin I
H. van der Wel, R. B. Iyengar, J. van Brouwershaven, P. D. van Wassenaar, W. J. Bel, and F. J. G. van der Ouderaa 41– 45

The complete amino acid sequence of the major α subunit of the lectin from the seeds of *Dioclea grandiflora* (Mart)
M. Richardson, F. D. A. P. Campos, R. A. Moreira, I. L. Ainouz, R. Begbie, W. B. Watt, and A. Pusztai 101–111

Phospho*enol*pyruvate-dependent phosphorylation site in enzyme III^{glc} of the *Escherichia coli* phosphotransferase system
M. Dörschug, R. Frank, H. R. Kalbitzer, W. Hengstenberg, and J. Deutscher 113–119

Primary structure of the ram (*Ovis aries*) protamine
P. Sautiere, D. Belaiche, A. Martinage, and M. Loir 121–125

The refined 2.2-Å (0.22-nm) X-ray crystal structure of the ternary complex formed by bovine trypsinogen, valine-valine and the Arg^{15} analogue of bovine pancreatic trypsin inhibitor
W. Bode, J. Walter, R. Huber, H. R. Wenzel, and H. Tschesche 185–190

Isolation and characterization of a somatomedin-binding protein from mid-term human amniotic fluid
G. Póvoa, G. Enberg, H. Jörnvall, and K. Hall 199–204

A novel form of the polypeptide PHI isolated in high yield from bovine upper intestine. Relationships to other peptides of the glucagon-secretin family
M. Carlquist, R. Kaiser, K. Tatemoto, H. Jörnvall, and V. Mutt 243–247

Apolipoprotein A-I$_{Giessen}$ (pro^{143}→Arg). A mutant that is defective in activating lecithin: cholesterol acyltransferase
G. Utermann, J. Haas, A. Steinmetz, R. Paetzold, S. C. Rall Jr, K. H. Weisgraber, and R. W. Mahley 325–331

The properties of the large subunit of maize ribulose bisphosphate carboxylase/oxygenase synthesised in *Escherichia coli*
A. A. Gatenby 361–366

Preparation of red-cell-membrane cytoskeletal constituents and characterisation of protein 4.1
V. Ohanian and W. Gratzer 375–379

The amino acid sequence of sarcoplasmic calcium-binding protein obtained from sandworm, *Perinereis vancaurica tetradentata*
T. Kobayashi, Y. Takasaki, T. Takagi, and K. Konishi 401–408

The primary structure of calf thymus glutaredoxin. Homology with the corresponding *Escherichia coli* protein but elongation at both ends and with an additional half-cystine/cysteine pair
I. H. Klintrot, J. O. Höög, H. Jörnvall, A. Holmgren, and M. Luthman 417–423

Electron microscopic studies on liver 5-aminolaevulinate synthase
B. A. Pirola, F. Mayer, I. A. Borthwick, G. Srivastava, B. K. May, and W. H. Elliott 577–579

Muscarinic cholinergic receptor of rat brain. Factors influencing migration in electrophoresis and gel filtration in sodium dodecyl sulphate
H. K. Dadi and R. J. Morris 617–628

Requirement of the 20-kDa light chain for the papain-resistant conformation of gizzard myosin
A. Kumon, S. Yasuda, N. Murakami, Y. Tashiro, and S. Matsumura 629–635

Penicillin-binding proteins of *Streptococcus pneumoniae*: characterization of tryptic peptides containing the β-lactam-binding site
H. Ellerbrok and R. Hakenbeck 637–641

Enzymology

Similarities between human and rat leukocyte elastase and cathepsin G
G. D. Virca, G. Metz, and H. P. Schnebli 1– 9

5′-Hydroxyl RNA kinase from mouse L cells
K. Sertic-Pritsos, M. Vinocour, and I. Winicov 47– 55

Characterisation of size variants of type I DNA topoisomerase isolated from calf thymus
B. Schmitt, U. Buhre, and H.-P. Vosberg 127–134

Studies on the nature of transition metal ion-mediated binding of triazine dyes to enzymes. The interaction of Procion red MX-8B with carboxypeptidase G-2
P. Hughes, R. F. Sherwood, and C. R. Lowe 135–142

Purification and characterization of tomato polygalacturonase converter
R. Pressey 217–221

Nucleoside diphosphate kinase from brain. Purification and effect on microtubule assembly *in vitro*
P. Huitorel, C. Simon, and D. Pantaloni 233–241

Localization of a narrow-specificity thyroliberin hydrolyzing pyroglutamate aminopeptidase in synaptosomal membranes of guinea-pig brain
B. O'Connor and G. O'Cuinn 271–278

Synergism between coenzyme and alcohol binding to liver alcohol dehydrogenase
P. Andersson, J. Kvassman, B. Oldén, and G. Pettersson 317–324

Conformational adaptation of RTEM β-lactamase to cefoxitin
N. Citri, A. Kalkstein, A. Samuni, and N. Zyk 333–338

Baker's yeast flavocytochrome b_2. A mechanistic study of the dehydrohalogenation reaction
P. Urban and F. Lederer 345–351

Activation of brain calcineurin towards proteins containing Thr(P) and Ser(P) by Ca^{2+}, calmodulin, Mg^{2+} and transition metal ions
H. C. Li and W. W. S. Chan 447–452

Rules for the regulation of enzyme activity in reserved micelles as illustrated by the conversion of apolar steroids by 20 β-hydroxysteroid dehydrogenase
R. Hilhorst, R. Spruijt, C. Laane, and C. Veeger 459–466

Simultaneous purification of hexokinase, class-I fructose-bisphosphate aldolase, triosephosphate isomerase and phosphoglycerate kinase from *Trypanosoma brucei*
O. Misset and F. R. Opperdoes 475–483

Influence of cyanogen-bromide-digested fibrinogen on the kinetics of plasminogen activation by urokinase
H. R. Lijnen, B. Van Hoef, and D. Collen 541–544

Processing peptidase of *Neurospora* mitochondria. Two-step cleavage of imported ATPase subunit 9
B. Schmidt, E. Wachter, W. Sebald, and W. Neupert 581–588

Carbohydrates, lipids and other natural products

Galactosyl transferase of baby hamster kidney (BHK) cells. Characterization of two oligosaccharide products synthesised using bovine asialo submaxillary-gland mucin as acceptor
P. A. Gleeson, J. Feeney, G. Mills, and R. C. Hughes 143–150

The structure of the polysaccharide moiety of *Rhodopseudomonas sphaeroides* ATCC 17023 lipopolysaccharide
P. V. Salimath, R. N. Tharanathan, J. Weckesser, and H. Mayer 227–232

A new proposal for the primary and secondary structure of the glycan moiety of pseudomurein. Conformational energy calculations on the glycan strands with talosaminuronic acid in 1C conformation and comparison with murein
B. Leps, H. Labischinski, G. Barnickel, H. Bradaczek, and P. Giesbrecht 279–286

Structure of tumor-associated carbohydrate antigen Ca 19-9 on human seminal-plasma glycoproteins from healthy donors
F. G. Hanisch, G. Uhlenbruck, and C. Dienst 467–473

Physical biochemistry

Spectral intermediates of prostaglandin hydroperoxidase
W. Nastainczyk, D. Schuhn, and V. Ullrich 381–385

Nuclear-magnetic-resonance studies of *Desulfuromonas acetoxidans* cytochrome $c_{551.5}$ (c_7)
J. J. G. Moura, G. R. Moore, R. J. P. Williams, I. Probst, J. Legall, and A. V. Xavier 433–440

Membranes and bioenergetics

Release of the inhibitory action of the natural ATPase inhibitor protein on the mitochondrial ATPase
C. Beltrán, M. T. de Gómez-Puyou, A. Gómez-Puyou, and A. Darszon 151–157

Na^+-dependent regulation of extramitochondrial Ca^{2+} by rat-liver mitochondria
J. Nedergaard 159–168

Properties of receptors for the Ca^{2+}-channel blocker verapamil in transverse-tubule membranes of skeletal muscle. Stereospecificity, effect of Ca^{2+} and other inorganic cations, evidence for two categories of sites and effect of nucleoside triphosphates
J.-P. Galizzi, M. Fosset, and M. Lazdunski 211–215

Isolation and partial purification of a clonidine-displacing endogenous brain substance
D. Atlas and Y. Burstein 287–293

Low pH induces a hydrophobic domain in the tetanus toxin molecule
P. Boquet, E. Duflot, and B. Hauttecoeur 339–344

Import and processing of cytochrome b-c_1 complex subunits in isolated hepatoma ascites cells. Inhibition by Rhodamine 6G
J. Kolarov and B. D. Nelson 387–392

Characterization of a Mg^{2+}-ATPase and a proton pump in cholinergic synaptic vesicles from the electric organ of *Torpedo marmorata*
P. Harlos, D. A. Lee, and H. Stadler 441–446

Mechanism of rate control of the NADPH-dependent reduction of cytochrome P-450 by lipids in reconstituted phospholipid vesicles
J. Blanck, G. Smettan, O. Ristau, M. Ingelman-Sundberg, and K. Ruckpaul 509–513

Response of isolated sperm plasma membranes from sea urchin to egg jelly
A. Darszon, M. Gould, L. De De La Torre, and I. Vargas 515–522

Proton movements and electric potential generation in reconstituted ATPase proteoliposomes from the thermophilic cyanobacterium *Synechococcus* 6716
H. S. Van Walraven, H. J. P. Marvin, E. Koppenaal, and R. Kraayenhof 555–561

Lipid specificity for the reconstitution of well-coupled ATPase proteoliposomes and a new method for lipid isolation from photosynthetic membranes
H. S. Van Walraven, E. Koppenaal, H. J. P. Marvin, M. J. M. Hagendoorn, and R. Kraayenhof 563–569

Phosphate transport in *Pseudomonas aeruginosa*. Involvement of a periplasmic phosphate-binding protein
K. Poole and R. E. W. Hancock 607–612

Labelling of penicillin-binding proteins with a photoreactive peptidoglycan-peptide analogue
V. Arán, A. Rodríguez-Tébar, and D. Vázquez 613–616

Activation of potassium ion transport in mitochondria by cadmium ion
B. K. A. Rasheed, J. J. Diwan, and D. R. Sanadi 643–647

Cellular biochemistry and metabolism

Alterations in intracellular calcium compartmentation following inhibition of calcium efflux from isolated hepatocytes
G. Bellomo, P. Nicotera, and S. Orrenius 19– 23

The nature of the decreased activity of glycogen synthase phosphate in the liver of the adrenalectomized starved rat
M. Bollen, F. Dopere, J. Goris, W. Merlevede, and W. Stalmans 57– 63

Acetylcholine-like effects of 1-*O*-alkyl-2-acetyl-*sn*-glycero-3-phosphocholine ('platelet-activating factor') and its analogues in exocrine secretory glands
H.-D. Söling, H. Eibl, and W. Fest 65– 72

Differentiation of algal chemoreceptors. A comparative receptor study with two seaweed pairs: *Cutleria multifida/Syringoderma phinneyi* and *Desmarestia aculeata/Ectocarpus siliculosus (Phaeophyceae)*
W. Boland, L. Jaenicke, D. G. Müller, and A. Peters 169–176

Intracellular transport of the major glycoprotein of zymogen granule membranes in the rat pancreas. Demonstration of high turnover at the plasma membrane
J. R. Havinga, G. J. Strous, and C. Poort 177–183

Hexose metabolism in pancreatic islets. The phosphorylation of fructose
A. Sener, M.-H. Giroix, and W. J. Malaisse 223–226

Computer simulation of purine metabolism
R. Franco and E. I. Canela 305–315

Gluconeogenesis predominates in periportal regions of the liver lobule
T. Matsumura, T. Kashiwagi, H. Meren, and R. G. Thurman 409–415

Regulation of glucose-6-phosphate dehydrogenase mRNA by insulin and the glucocorticoids in primary cultures of rat hepatocytes
D. J. Stumpo and R. F. Kletzien 497–502

Comparison of spectrin isolated from erythroid and non-erythroid sources
J. R. Glenney Jr and P. Glenney 529–539

Developmental biochemistry and immunology

Study of the conversion of GDP-mannose into GDP-fucose in Nereids: a biochemical marker of oocyte maturation
P. Bulet, B. Hoflack, M. Porchet, and A. Verbert 255–259

Distribution and utilization of 5 S-RNA-binding proteins during the development of *Xenopus* oocytes
R. M. Johnson, P. Barrett, and J. Sommerville 503–508

Indexed in Current Contents